

Qualitative modeling of pressure vs. pain relations in women suffering from dyspareunia

Damiano Varagnolo

Luleå University of Technology

Steffi Knorn

Uppsala University

Reinhilde Melles & Marieke Dewitte

Maastricht Universitair Medisch Centrum


July 10, 2017

IFAC world congress


Qualitative modeling of pressure vs. pain relations
in women suffering from *dyspareunia*

:= pain during penetrative sexual intercourse


Etiology




Etiology




Etiology




Etiology




Etiology



Etiology



Etiology



Relevance

approximately 15% of women¹ in a variety of age groups

¹Hayes, Bennett, Dennerstein, Taffe & Fairley, *“Are aspects of study design associated with the reported prevalence of female sexual difficulties?”*, *Fertility and Sterility*, 2008.

Relevance

approximately 15% of women¹ in a variety of age groups

Indirect effects:

- self-shaming
- self-blaming
- isolation
- negative effects on patients' families and friends

¹Hayes, Bennett, Dennerstein, Taffe & Fairley, "Are aspects of study design associated with the reported prevalence of female sexual difficulties?", *Fertility and Sterility*, 2008.

How is it treated today?

gender confirmation surgeries

auto-immune conditions

injuries

vaginal shortening / narrowing

infections

vaginismus

How is it treated today?

gender confirmation surgeries

auto-immune conditions

injuries

vaginal shortening / narrowing

infections → antibiotics & antifungals

vaginismus

How is it treated today?

gender confirmation surgeries →

auto-immune conditions →

injuries - - - - - →

vaginal shortening / narrowing →

infections → antibiotics & antifungals

vaginismus



How is it treated today?

gender confirmation surgeries →

auto-immune conditions →

injuries - - - - - →

vaginal shortening / narrowing →

infections → antibiotics & antifungals

vaginismus → + counterconditioning



Side effects

“uncomfortable”, “shameful”



Side effects

“uncomfortable”, “shameful”



leads often to dropouts



Side effects

“uncomfortable”, “shameful”



leads often to dropouts



needs better treatments



Side effects

“uncomfortable”, “shameful”



leads often to dropouts



needs better treatments



needs better understandings



Our contributions

collect existing medical knowledge
and frame it into a consistent dynamical model

What is known about dyspareunia and the underlying physiological dynamics?

- $x_{\text{phys. arousal}} > 0 \implies (x_{\text{lubrication}} > 0, x_{\text{vasocongestion}} > 0)$

What is known about dyspareunia and the underlying physiological dynamics?

- $x_{\text{phys. arousal}} > 0 \implies (x_{\text{lubrication}} > 0, x_{\text{vasocongestion}} > 0)$
- $u_{\text{vibration}} \in \text{"suitable range" may} \implies x_{\text{pleasure}} > 0$

What is known about dyspareunia and the underlying physiological dynamics?

- $x_{\text{phys. arousal}} > 0 \implies (x_{\text{lubrication}} > 0, x_{\text{vasocongestion}} > 0)$
- $u_{\text{vibration}} \in \text{"suitable range" may} \implies x_{\text{pleasure}} > 0$
- $x_{\text{fear}} > 0 \implies x_{\text{muscles}} > 0$


What is known about dyspareunia and the underlying physiological dynamics?

- $x_{\text{phys. arousal}} > 0 \implies (x_{\text{lubrication}} > 0, x_{\text{vasocongestion}} > 0)$
- $u_{\text{vibration}} \in \text{"suitable range" may} \implies x_{\text{pleasure}} > 0$
- $x_{\text{fear}} > 0 \implies x_{\text{muscles}} > 0$
- (if happening before or at the beginning of the penetrative act)
 $x_{\text{muscles}} > 0 \implies (x_{\text{lubrication}} \downarrow 0, x_{\text{vasocongestion}} \downarrow 0)$


The logical implications as a block-scheme

fear
pain muscular
 tension


The logical implications as a block-scheme




The logical implications as a block-scheme




The logical implications as a block-scheme



The logical implications as a block-scheme



The logical implications as a block-scheme



From logical implications to qualitative implications

important: the dynamics must lead to meaningful trajectories

From logical implications to qualitative implications

important: the dynamics must lead to meaningful trajectories

Cycle of fear (COF):

$$\dot{x}_{\text{pain}} = -x_{\text{pain}} + \sqrt{x_{\text{muscles}}} u_{\text{pressure}}$$

$$\dot{x}_{\text{muscles}} = -x_{\text{muscles}} + x_{\text{fear}}$$

$$\dot{x}_{\text{fear}} = -x_{\text{fear}} - x_{\text{fear}} u_{\text{stimulus}} + x_{\text{pain}}$$

From logical implications to qualitative implications

important: the dynamics must lead to meaningful trajectories

Cycle of fear (COF):

$$\dot{x}_{\text{pain}} = -x_{\text{pain}} + \sqrt{x_{\text{muscles}}}u_{\text{pressure}}$$

$$\dot{x}_{\text{muscles}} = -x_{\text{muscles}} + x_{\text{fear}}$$

$$\dot{x}_{\text{fear}} = -x_{\text{fear}} - x_{\text{fear}}u_{\text{stimulus}} + x_{\text{pain}}$$

Cycle of pleasure (COP):

$$\dot{x}_{\text{phys. arousal}} = -x_{\text{phys. arousal}} + x_{\text{subj. arousal}}u_{\text{stimulus}}$$

$$\dot{x}_{\text{pleasure}} = -x_{\text{pleasure}} + x_{\text{phys. arousal}}u_{\text{pressure}}$$


$$\dot{x}_{\text{subj. arousal}} = -x_{\text{subj. arousal}} + x_{\text{pleasure}} + u_{\text{stimulus}}$$

Which equilibria does the model allow?

$$u_{\text{stimulus}} = 0 \quad u_{\text{stimulus}} > 0$$

$$u_{\text{pressure}} = 0$$

$$u_{\text{pressure}} > 0$$




Which equilibria does the model allow?

$$u_{\text{stimulus}} = 0 \quad u_{\text{stimulus}} > 0$$

(resting state)

$$u_{\text{pressure}} = 0 \quad x_{\text{COF}}^* = 0 \\ x_{\text{COP}}^* = 0$$

$$u_{\text{pressure}} > 0$$



Which equilibria does the model allow?

$$u_{\text{stimulus}} = 0 \qquad u_{\text{stimulus}} > 0$$

(resting state) (arousal state)

$$u_{\text{pressure}} = 0$$


$$x_{\text{COF}}^* = 0$$

$$x_{\text{COF}}^* = 0$$

$$x_{\text{COP}}^* = 0$$

$$x_{\text{COP}}^* > 0$$

$$u_{\text{pressure}} > 0$$



Which equilibria does the model allow?

$$u_{\text{stimulus}} = 0 \quad u_{\text{stimulus}} > 0$$

(resting state) (arousal state)

$$u_{\text{pressure}} = 0$$

$$x_{\text{COF}}^* = 0$$

$$x_{\text{COF}}^* = 0$$

$$x_{\text{COP}}^* = 0$$


$$x_{\text{COP}}^* > 0$$

(fear state)

$$u_{\text{pressure}} > 0$$

$$x_{\text{COF}}^* > 0$$

$$x_{\text{COP}}^* = 0$$




Which equilibria does the model allow?

$$u_{\text{stimulus}} = 0 \quad u_{\text{stimulus}} > 0$$

(resting state) (arousal state)

$$u_{\text{pressure}} = 0 \quad \begin{array}{l} x_{\text{COF}}^* = 0 \\ x_{\text{COP}}^* = 0 \end{array} \quad \begin{array}{l} x_{\text{COF}}^* = 0 \\ x_{\text{COP}}^* > 0 \end{array}$$

$$u_{\text{pressure}} > 0 \quad \begin{array}{l} \text{(fear state)} \\ x_{\text{COF}}^* > 0 \\ x_{\text{COP}}^* = 0 \end{array} \quad \begin{array}{l} \text{(full state)} \\ x_{\text{COF}}^* > 0 \\ x_{\text{COP}}^* > 0 \end{array}$$



Conclusions

Conclusions

- 1 engineers can contribute to this area

Conclusions

- 1 engineers can contribute to this area
- 2 it is definitely a non-trivial socio-psychophysiological system

Conclusions

- 1 engineers can contribute to this area
- 2 it is definitely a non-trivial socio-physiological system
- 3 this is just a first step

Conclusions and future directions

- 1 engineers can contribute to this area
- 2 it is definitely a non-trivial socio-psychophysiological system
- 3 this is just a first step

right now, system identification using real data

Qualitative modeling of pressure vs. pain relations in women suffering from dyspareunia

Damiano Varagnolo

Luleå University of Technology

Steffi Knorn

Uppsala University

Reinhilde Melles & Marieke Dewitte

Maastricht Universitair Medisch Centrum

July 10, 2017

IFAC world congress

Appendix

Example of datasets

